







Обозначение	Условный проход Dy	Размер присоед. труб	Dн	Dp	S	L	Марка стали	Масса, кг
01	50	57x3	57	52	3	260	08X18H10T	1,5
02	65	76x4,5	76	68	4,5	280		3,0
03	80	89x5	89	81	5	290		4,1
04	100	108x5	108	99		310		5,2
05	125	133x6	133	124	6	340		8,2
06	150	159x6	159	150		360		10,2
07	200	219x11	219	200	11	420		28,7
08		220x7	220	209	7			18,7
09	250	273x11	273	255	11	480		40,2
10	300	325x12	325	305	12	550		61,3
11	350	377x6	377	367	6	600		38,2
12	400	426x8	426	412	8	650		61,0
13	500	530x8	530	516		760		85,8
14	600	630x8	630	616	12	900		118,0
15		630x12		608				177,0
16	700	720x10	720	703	10	1000		188,6
17	800	820x10	820	803		1100		236,5
18	900	920x10	920	903		1210		289,6
19	1000	1020x10	1020	1003		1300		339,2
20	1200	1220x10	1220	1203		1550		472,0



Обозначение	Условные проходы ДуxDy ₁	Размер присоед. труб		Dp	Dp ₁	L	Марка стали	Масса, кг						
		К корпусу	К штуцеру											
01	50x25	57x3	32x2,5	52	28	240	08X18H10T 12X18H10T	1,2						
02	50x32		38x3		33			1,3						
03	65x32	76x4,5		68		52		260	2,2					
04	65x50		57x3		68				2,5					
05	80x50	89x5		80		68		290	3,1					
06	80x65		76x4,5		99				80	3,8				
07	100x50	108x5		57x3		68				80	4,1			
08	100x65		76x4,5		99				68		80	4,5		
09	100x80											89x5	124	80
10	125x50	133x6	57x3	68	80	320		5,9						
11	125x65							76x4,5	124	68	80	99	6,2	
12	125x80												89x5	108x5
13	125x100							159x6	57x3	68	80	99		
14	150x50	76x4,5	150	80	99	124							8,6	
15	150x65												89x5	108x5
16	150x80	108x5	133x6	159x6	200	52								
17	150x100												133x6	159x6
18	150x125	159x6	200	52	68	80								
19	200x50							219x11	57x3	68	80	99	124	24,1
20	200x65	76x4,5	150	80	99	124								24,5
21	200x80													89x5
22	200x100	108x5	133x6	159x6	200	52								
23	200x125													159x6
24	200x150	133x6	159x6	200	52	68								
25	200x50							220x7	57x3	68	80	99	124	15,9
26	200x65	76x4,5	150	80	99	124								16,3
27	200x80													89x5
28	200x100	108x5	133x6	159x6	200	52								
29	200x125													133x6



Тройники сварные переходные ОСТ 34-10-511-90, СТО 79814898 125-2009

Обозначение	Условные проходы ДуxDy ₁	Размер присоед. труб		Dp	Dp ₁	L	Марка стали	Масса, кг
		К корпусу	К штуцеру					
30	200x150	220x7	159x6	209	150	420	08X18H10T 12X18H10T	17,3
31	250x50	273x11	57x3	255	52	480		34,6
32	250x65		76x4,5		68			34,9
33	250x80		89x5		80			35,4
34	250x100		108x5		99			35,5
35	250x125		133x6		124			36,0
36	250x150		159x6		150			36,2
37	250x200		219x11		200			39,2
38			220x7		209			36,1
39	300x65	325x12	76x4,5	305	68	520		49,2
40	300x80		89x5		80			49,6
41	300x100		108x5		99			49,7
42	300x125		133x6		124			50,2
43	300x150		159x6		150			50,4
44	300x200		219x11		200			55,5
45			220x7		209			52,0
46	300x250		273x11		255			55,7
47	350x200	377x6	219x11	367	200	550		38,0
48	350x250		273x11		255			48,8
49	350x300		325x12		305			52,1
50	400x200	426x8	219x11	412	200	600		56,9
51	400x250		273x11		255			59,6
52	400x300		325x12		305			61,4
53	400x350		377x6		367			52,6
54	500x250	530x8	273x11	516	255	700		81,2
55	500x300		325x12		305			85,2
56	500x350		377x6		367			77,5
57	500x400		426x8		412			78,9
58	600x300	630x8	325x12	616	305	750		104,8
59	600x350		377x6		367			97,2
60	600x400		426x8		412			101,4
61	600x500		530x8		516			850
62	600x250	630x12	273x11	608	255	750		145,6
63	600x300		325x12		305			147,9
64	600x350		377x6		367			139,2
65	600x400		426x8	603	412	142,2		
66	600x500		530x8		516	155,3		
67	700x300	720x10	325x12	703	305	850		161,1
68	700x350		377x6		367			152,6
69	700x400		426x8		412			156,2
70	700x500		530x8		516			152,5
71	700x600		630x8		616	950		168,5
72			630x12		608			183,4


Тройники сварные переходные ОСТ 34-10-511-90, СТО 79814898 125-2009

Обозначение	Условные проходы ДухДу ₁	Размер присоед. труб		Dp	Dp ₁	L	Марка стали	Масса, кг
		К корпусу	К штуцеру					
73	800x400	820x10	426x8	803	412	900	08X18H10T 12X18H10T	186,8
74	800x500		530x8		516	187,2		
75	800x600		630x8		616	223,7		
76			630x12		608	239,1		
77	800x700		720x10		703	231,2		
78	900x400	920x10	426x8	903	412	1100		231,4
79	900x500		530x8		516	231,5		
80	900x600		630x8		616	1200		276,3
81			630x12		608			289,5
82	900x700		720x10		703			280,5
83	900x800		820x10		803			280,6
84	1000x500	1020x10	530x8	1003	516	1100		280,8
85	1000x600		630x8		616			280,5
86			630x12		608			293,2
87	1000x700		720x10		703	1300		343,0
88	1000x800	1020x10	820x10	1003	803	1300		336,0
89	1000x900		920x10		903			335,4
90	1200x600	1220x10	630x8	1203	616	1200		366,1
91			630x12		608			379,4
92	1200x700		720x10		703			373,8
93	1200x800		820x10		803			380,4
94	1200x900		920x10		903	1400		431,1
95	1200x1000		1020x10		1003			430,6

Тройники сварные равнопроходные ОСТ 34-42-675-84, СТО 95 126-2013



Обозначение	Условный проход Dy	Размер присоед. труб	Dн	Dр	S	L	Марка стали	Масса, кг
01	100	108x4	108	102	6	320	Сталь 20	6,58
02								
03	125	133x4	133	127		350		8,71
04								
05	150	159x5	159	151	7	400		13,40
06	200	219x7	219	208	9	450		26,65
07	250	273x8	273	259	11	500		47,00
08	300	325x8	325	311	13	550		74,20
09								
10	350	377x9	377	361		650		99,80
11								
12	400	426x9	426	410	14	700		132,20
13								
14	500	530x8	530	516	18	800		183,59
15					12			137,38
16	600	630x8	630	616	18	1000		286,24
17					14			228,07
18	700	720x8	720	706	18	1100		389,90
19								341,46
20					14			281,56
21	800	820x9	820	804	25	1200		544,60
22					18			480,96
23					14			346,76
24	900	920x10	920	902	25	1400		812,80
25					14			748,15
26								479,35
27	1000	1020x10	1020	1020	25	1600		1102,00
28					14			1015,06
29								599,56
30	1200	1220x11	1220	1201	25	1800		1286,00
31					18			964,96
32	1400	1420x14	1420	1395	25	2100		1963,00
33					18			1353,00
34	1600	1620x14	1620	1595	25	2200		2344,00
35								
36	500	530x8	530	516	10	800		115,79
37	600	630x8	630	616		1000		172,15
38	700	720x8	720	706		1100		213,82
39	800	820x9	820	804		1200		269,28
40	900	920x10	920	902	12	1400		421,68
41	1000	1020x10	1020	1002		1600		515,38
42	1200	1220x11	1220	1201		1800		706,62
43	1400	1420x14	1420	1395	14	2100		1114,00
44	1600	1620x14	1620	1595		2200		1320,00



Обозначение	Условные проходы DyxDy ₁		Размер присоед. труб		Dp	Dp ₁	L	Марка стали	Масса, кг
			К корпусу	К штуцеру					
001	100	25	108x4	32x2	102	29	250	Сталь 20	3,90
002		32		38x2		35			3,91
003		50		57x3		52	300		4,86
004		65		76x3		71			4,91
005		80		89x3,5		84			5,09
006	125	20	133x4	25x2	127	22	250		4,80
007		32		32x2		29			4,83
008		50		38x2		35			4,84
009		65		57x3		52	300		5,97
010		80		76x3		71			6,02
011		80		89x3,5		84	350		7,32
012		100		108x4		102			8,28
013									7,56
014	150	20	159x5	25x2	151	22	250		6,66
015		25		32x2		29			6,68
016		32		38x2		35			6,69
017		50		57x3		52	300		8,16
018		65		76x3		71			8,21
019		80		89x3,5		84	350		9,87
020		100		108x4		102			11,04
021									10,33
022		125		133x4		127	400		11,50
023	200	50	219x7	57x3	208	52	300		14,25
024		65		76x3		71			14,24
025		80		89x3,5		84	350		16,86
026		100		108x4		102			17,96
027		125		133x4		127	400		20,59

Обозначение	Условные проходы DyxDy ₁		Размер присоед. труб		Dp	Dp ₁	L	Марка стали	Масса, кг
			К корпусу	К штуцеру					
028	250	50	273x8	57x3	259	52	300	Сталь 20	23,08
029		65		76x3		71			23,03
030		80		89x3,5		84	350		27,11
031		100		108x4		102			27,45
032		125		133x4		127	400		31,24
033		150		159x5		151			31,71
034		300		200		219x7	311		208
035	250		273x8	259	56,37				
036	200		219x7	208	56,70				
037	350	250	273x8	259	361	78,50			
038		300	325x8	311		78,68			
039		125	133x4	127		79,82			
040	400	150	159x5	410	151	600	77,50		
041		200	219x7		208		77,72		
042		250	273x8		259		94,74		
043		377x9	300		325x8	311	700		95,60
044			350		377x9	361			110,70
045			250		273x8	259	600		82,78
046	500	300	325x8	516	311	700	113,67		
047		350	377x9		361		114,32		
048		400	426x9		410		116,72		
049		200	219x7		208		600		107,47
050	600	250	273x8	259	114,20				
051		300	325x8	311	700	133,92			
052		350	377x9	361		136,08			
053		400	426x9	410	800	176,00			
054		500	530x8	516		214,22			
055		600	500	630x8	530x8	616	516		800
056	700	80	720x8	89x3,5	706	84	600	105,77	
057		125		133x4		127		106,22	
058		150		159x5		151		107,88	
059		200		219x7		208		110,96	
060		250		273x8		259	750	161,59	
061		300		325x8		311		185,60	
062		350		377x9		361		186,72	
063		400		426x9		410	900	223,60	
064		500		530x8		516		170,22	
065		600		630x8		616		276,50	
066		125		133x4		127		600	195,92
067		150		159x5		151			278,27
068		200		219x7		208	228,26		
069	800	250	273x8	259	750	144,43			
070		300	325x8	311		144,76			
071		350	377x9	361		146,73			
072		400	426x9	410	1000	187,85			
073		500	530x8	516		211,32			
074		600	630x8	616		212,25			
075		700	720x8	706		297,35			
076		800	804	804		248,40			
077		900	904	904		352,58			
078		1000	1004	1004		246,73			
079	1100	1104	1104	351,28					
080	1200	1204	1204	284,57					
081	1300	1304	1304	504,77					
082	1400	1404	1404	312,13					
083	1500	1504	1504						

Обозначение	Условные проходы DyxDy ₁		Размер присоед. труб		Dp	Dp ₁	L	Марка стали	Масса, кг																							
			К корпусу	К штуцеру																												
084	900	150	920x10	159x5	902	151	600	Сталь 20	163,75																							
085		200		219x7		208			166,36																							
086		250		273x8		259			210,32																							
087		300		325x8		311	750		237,10																							
088		350		377x9		361			247,00																							
089		400		426x9		410			331,30																							
090		500		600		630x8	706		804	1000	277,60																					
091											530x8	516	397,17																			
092											530x8	616	317,17																			
093											530x8	616	529,60																			
094											530x8	616	321,20																			
095											720x8	706	619,68																			
096											720x8	706	466,93																			
097											820x9	804	613,34																			
098		820x9		804		455,14																										
099	1000	80	1020x10	89x3,5	1002	84	600	179,67																								
100		125		133x4		127		180,84																								
101		150		159x5		151		181,46																								
102		200		219x7		208	750	262,24																								
103		250		273x8		259		262,60																								
104		300		325x8		311		271,80																								
105		350		377x9		361	1000	272,74																								
106		350		377x9		361		230,47																								
107		400		426x9		410		365,30																								
108		400		426x9		410	1000	306,87																								
109		500		530x8		516		595,50																								
110		500		530x8		516		350,85																								
111		600		630x8		616		589,57																								
112		600		630x8		616	354,17																									
113	1000	700	1020x10	720x8	1002	706	1200	696,41																								
114								800	820x9	902	520,01																					
115											900	920x10	683,33																			
116													1400	514,53																		
117														822,90																		
118	1200	300	1220x11	328x8	1201	311	850	621,30																								
119								350	377x9	426x9	530x8	616	356,10																			
120													700	720x8	820x9	920x10	356,70															
121																	800	820x9	920x10	1002	419,70											
122																					900	1020x10	1002	418,82								
123																								1000	1002	528,01						
124																										1200	1002	618,62				
125																												1400	1002	622,70		
126																														1400	1002	743,67
127																																1400
128	1000	1000	1020x10	1020x10	1002	1400	1002	604,30																								

Обозначение	Условные проходы ДухДу ₁		Размер присоед. труб		D _p	D _{p1}	L	Марка стали	Масса, кг	
			К корпусу	К штуцеру						
129	1400	200	1420x14	219x7	1395	208	850	Сталь 20	529,70	
130		250		273x8		259			529,20	
131		300		325x8		311			528,40	
132		350		377x9		361			537,12	
133		400		426x9		410	1000		634,70	
134		500		530x8		516			840,33	
135		600		630x8		616			616,53	
136		700		720x8		706	1200		833,36	
137									615,36	
138									1015,5	
139		800		820x9		804	732,88			
140		900		920x10		902	1500		1003,6	
141									977,50	
142									1302,7	
143		1000		1020x10		1002	1800		1246,76	
144									1360,50	
145									1222,10	
146		1200		1220x11		1201	1447,85			
147		1600		500		1620x14	530x8		1595	516
148	600		630x8	616	703,17					
149	700		720x8	706	1200		1138,93			
150	800		820x9	804			1123,25			
151	900		920x10	902	1500		1427,70			
152	1000		1020x10	1002			1410,39			
153	1200		1220x11	1201	1800		1054,09			
154							1657,95			
155							1242,51			
156							1968,73			
157	1400	1420x14	1395	2100	1497,78					
158	500	300	530x8	516	311	700	96,20			
159					350		377x9		361	98,55
160					400		426x9		410	101,66
161	600	300	630x8	616	311	800	113,22			
162					350		377x9		361	115,33
163					400		426x9		410	133,44
164					500		530x8		516	135,30
165	700	300	720x8	706	311	750	137,22			
166					350		377x9		361	139,11
167					400	426x9	410		900	167,86
168					500	530x8	516			169,44
169					600	630x8	616			178,70
170	800	300	820x9	804	311	750	155,44			
171					350		377x9		361	157,22
172					400	426x9	410		1000	209,66
173					500	530x8	516			210,55
174					600	630x8	616			218,30
175					700	720x8	706			1100

Обозначение	Условные проходы DyxDy ₁		Размер присоед. труб		Dp	Dp ₁	L	Марка стали	Масса, кг
			К корпусу	К штуцеру					
176	900	300	920x10	325x8	902	311	750	Сталь 20	209,22
177		350		377x9		361			206,55
178		400		426x9		410	1000		275,32
179		500		530x8		516			275,44
180		600		630x8		616	1200		279,34
181		700		720x8		706			427,11
182		800		820x9		804			342,58
183	1000	300	1020x10	325x8	1002	311	750		227,61
184		350		377x9		361			228,67
185		400		426x9		410	1000		304,85
186		500		530x8		516			303,70
187		600		630x8		616	1200		307,26
188		700		720x8		706			366,67
189		800		820x9		804			373,64
190		900		920x10		902	1400		426,28
191	1200	300	1220x11	325x8	1201	311	850		307,66
192		350		377x9		361			308,53
193		400		426x9		410	1000		363,57
194		500		530x8		516			359,20
195		600		630x8		616	1200		365,53
196		700		720x8		706			435,34
197		800		820x9		804			439,76
198		900		920x10		902	1400		556,06
199		1000		1020x10		1002			452,84
200	1400	300	1420x14	325x8	1395	311	850		413,75
201		350		377x9		361			413,57
202		400		426x9		410	1000		486,65
203		500		530x8		516			483,05
204		600		630x8		616	1200		483,60
205		700		720x8		706			576,07
206		800		820x9		804			575,81
207		900		920x10		902	1500		737,99
208		1000		1020x10		1002			735,80
209		1200		1220x11		1201			747,80
210	1600	300	1620x14	325x8	1595	311			850
211		350		377x9		361	472,20		
212		400		426x9		410	1000		555,75
213									566,11
214		500		530x8		516			551,78
215		600		630x8		616	1200		552,21
216		700		720x8		706			658,06
217		800		820x9		804			656,83
218		900		920x10		902	1600		838,64
219		1000		1020x10		1002	1500		834,39
220		1200		1220x11		1201	1800		1006,16
221		1400		1420x14			1395		2100