



Обозначение	Условный проход Ду	Дн	S	L	Марка стали	Масса, кг
01	50	57	3	125	Сталь 20	0,75
02	65	76				1,10
03	80	89	3,5	130		1,63
04						1,53
05	100	108	4	130		2,30
06						2,18
07						3,14
08	125	133	5	135		3,09
09						2,89
10						5,25
11	150	159	7	145		4,66
12						4,61
13						4,33
14	200	219	8	130		12,37
15						10,22
16						8,60
17	250	273	9	145		8,49
18						8,02
19						18,49
20	300	325	9	130		15,23
21						12,76
22						12,55
23	350	377	9	145		11,80
24						24,65
25						20,04
26	400	426	9	130		16,68
27						16,23
28						32,71
29	500	530	8	145		26,58
30						22,12
31						21,50
32	500	530	8	145		40,20
33						32,39
34						26,82
35	500	530	8	145		57,17
36						44,87
37	500	530	8	145		



Обозначение	Условный проход D_y	D_n	S	L	Марка стали	Масса, кг	
38	500	530	8	130	Сталь 20	36,73	
39		630		145		77,57	
40	700	720				60,36	
41		820		98,67			
42	800	820	9	145		76,20	
43		920	127,41				
44	900	920	10			145	159,84
45		1020					192,95



Обозначение	Условный проход D_y	D_n	D_{n1}	S	S_1	L	α	Марка стали	Масса, кг			
01	350	377	89	9	9	300	60°	Сталь 20	46,0			
02	400	426							59,4			
03	500	530							78,7			
04	600	630	159	8	9	300	60°		107,6			
05									92,5			
06									141,4			
07	700	720	820	9	9	60°	127,8					
08	800	820					219		16	350	45°	220,6
09												176,7
10			144,1									
11	900	920	219	10	16	350	45°		299,4			
12									246,5			
13									203,4			
14	1000	1020	219	10	16	350	30°		189,2			
15									405,9			
16									318,0			
17	1200	1220	273	11	9	400	45°		251,7			
18									228,5			
19									517,6			
20	1400	1420	273	14	16	400	30°		417,0			
21									327,0			
22									301,8			
23	1600	1620	273	14	16	400	30°		888,5			
24									785,6			
25									624,0			
26	1600	1620	273	14	11	400	30°		532,0			
27									475,0			
28									1071,0			
29	1600	1620	273	14	16	400	30°		951,5			
30									750,0			
31	1600	1620	273	14	16	400	30°	838,0				